

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

NATIONAL HIGHWAYS AUTHORITY OF INDIA


(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय \ REGIONAL OFFICE

ई-2/167, अरेरा कॉलोनी, हबीबगंज रेल्वे स्टेशन के पास, भोपाल (म.प्र.) 462 016

E-2/167, Arera Colony, Near Habibganj Railway Station, Bhopal (M.P.)-462 016

दूरभाष/Phone : 0755-2426638, फैक्स/Fax : 0755-2426698, ई-मेल/E-mail : robhopal@nhai.org



भारतमाला
प्रगति के पथ पर अग्रसर
BHARATMALA
ROAD TO PROSPERITY

NHAI/RO-MP/IND/NH-3/Pipe Line/108+650-120+650/2020/ 39636

Date: 10.07.2020

Invitation of Public Comments

Sub: 4-laning of Khalghat-MP/Maharashtra Border Section of NH-3 from km 84.700 to km 167.500 in the state of Madhya Pradesh under NHDP Phase III on DBFOT basis - **Permission for laying of water supply pipeline from km 108+650 to km 109+550 and km 110+400 to km 120+650 (Total 11050m) – Reg.**

Ref: PD, PIU-Indore letter no. NHAI/PIU-INDORE/KH-MH/MPIDC/20-21/787 dated 26.06.2020.

Vide above reference proposal for laying of water supply pipeline from km 108+650 to km 109+550 and km 110+400 to km 120+650 (Total 11050m).

2. As per Ministry vide OM No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016, the Highways Administrator will make available the proposal seeking permission for utility laying for public comments for 30 days on ground of public interest.

3. In view of the above the comments of public are invited on captioned proposal and the same should reach to below mentioned address till **10.08.2020** beyond which no comments will be considered.


The Highway Administrator
O/o Regional Officer,
National Highways Authority of India
E-2/167, Arera Colony,
Near Habibganj Railway Station,
Bhopal (MP)-462016
E-mail ID:robhopal@nhai.org

4. This issues with the approval of Regional Officer cum Highway Administration.


(R.K. Gupta)
DGM (Tech.)

Copy to:

- Web Admin, NHAI-HQ-with request for uploading on the NHAI website.
- The Senior Technical Director, NIC, Transport Bhawan, New Delhi-110001 for uploading on Ministry's Website.
- The Project Director, PIU-Indore for information.
- M/s M.P. Industrial Development Corporation Ltd., 101, First Floor, Atulya IT Park, Near Crystal IT Park, Khandwa Road, Indore (M.P.)-452001 for information.



Devi

ANB


Superintending Engineer
 M.P. Industrial Development Corporation Ltd.
 R. O., INDORE


Agarwal

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highway Authority of India
परिचालक प्रो. प्रो. प्रो.
Project Director

Superintending Engineer
M.P. Industrial Development Corporation Ltd.
R. O., INDORE

Agarwal






परियोजना निदेशक
 Project Director
 भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
 Ministry of Road Transport and Highways
 Government of India
 नया दिल्ली
 New Delhi

Signature

Superintending Engineer
 M.P. Industrial Development Corporation Ltd.

Signature




8/11/20

Perinventing Engineer
 Industrial Development Corporation Ltd.
 R.O. INDORE

R.O. INDORE
 City of India
 20/11/20


20/11/20



Handwritten signature

Superintending Engineer
Maharashtra Industrial Development Corporation Ltd.

महाराष्ट्र निर्देशक
Project Engineer
City of India




Handwritten signature

Permitting Engineer
 M.P. Industrial Development Corporation Ltd

महाराष्ट्र सरकार
 राज्य परिवहन महामंडळ
 (M.P.)
 Information Unit

Handwritten signature




परियोजना का्या-पुन इकाई इन्जीर
 Project Implementation Unit

भारतीय का्या-पुन इकाई इन्जीर
 Ministry of India

भारतीय का्या-पुन इकाई इन्जीर
 Ministry of India

Superintending Engineer
 Industrial Development Corporation Ltd.
 R. O., INDORE

8/11/8



8/8


Superintending Engineer
 M.P. Industrial Development Corporation Ltd.

Project Implementation Unit. (M.P.)

City of Bhopal

City of Bhopal


City of Bhopal




Handwritten signature


Superintending Engineer,
M.P. Industrial Development Corporation Ltd.

Handwritten signature
 Project Implementation Unit, (M.P.)
 Highway Development Corporation Ltd.
 Bhopal, M.P.



R. Rao
 District Engineer
 P. W. D. & S. D. O.
 District of India
 Superintending Engineer
 Industrial Development Corporation Ltd
 Industrial Development Corporation Ltd
 INDORE
 PRODUCED BY AN AUTODESK STUDENT VERSION





 R. S. Jaiswal
 Project Implementation Unit
 Ministry of Industries
 Government of India
 Superintending Engineer
 M.P. Industrial Development Corporation Ltd.
 Bhopal
 PRODUCED BY AN AUTODESK STUDENT VERSION

8/11/18

Superintending Engineer
Development Corporation Ltd.

भारत
गणराज्य
राज्य
महाराष्ट्र
महानगरपालिका
मुंबई



CHECK-LIST

Guidelines for the Project Directors for processing the proposal of laying optical fiber cable by private parties in the land along National Highways vested with NHAI.

Relevant Circulars

1. F. No. RW/NH-33044/29/2015/S&R(R) Dated: 22nd November, 2016

Check List for getting approval for laying of DI pipe line on NH land

S. No.	Item	Information/Status	Remarks
1	General Information		
1.1	Name and Address of Applicant	M/S-NR EPC PROJECT PVT LTD 445,4 TH Floor,Royal Arcade,Opp.Zoo,Nr.Sarthana Jakatnaka, Surat (GJ.)	
1.2	National Highway Number	NH-3	
1.3	State	Madhya Pradesh	
1.4	Location	Km 108+650km.109+550 and Km. 110+400 to 120+650	
1.5	(Chainage in KM)	Km.108+650km. 109+550 and Km.110+400 to 120+650	
1.6	Length in Meter	11050	
1.7	Width of available ROW		
	(a) Left side from center line toward increasing chainage/km direction	30 m	
	(b) Right side from center line toward increasing chainage/km direction	30 m	
1.8	Proposal to lay the pipe line		
	(a) Left side from center line toward increasing chainage/km direction	No	
	(b) Right side from center line toward increasing chainage/km direction	RHS	
1.9	Proposal to acquire land		
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.10	Whether proposal is in the same side where land is not to be acquired	Yes	
	If not then where to lay the pipe line.	NA	
1.11	Details of already laid services, if any,		

[Signature]

[Signature]

Authority of India
कार्पोरेशन इकाई
Operation-Unit.

Superintending Engineer
Superintending Engineer
M.P.V.N. (I) Ltd., Indore
R. O., INDORE

[Signature]

	along the proposal route		
1.12	Number of lanes (2/4/6/8 lanes) existing	4-lane	
1.13	Proposed number of lanes (2 lane with paved shoulders 4/6/8 lanes	NA	
1.14	Services Road existing or not	No	
	If yes then which side		
	(a) Left side from center line		
	(b) Right side from center line	NA	
1.15	Proposed Service Road		
	(a) Left side from center line		
	(b) Right side from center line	Yes, RHS	
1.16	Whether proposal to lay pipe line is after the service road or between the service road and main carriageway	After service road	
1.17	The permission for laying DI pipe line shall be considered for approval/rejection		
	(i) Where us ROW is more than 45 m them the DI Pipe line shall be laid at the edge of right of way within the utility corridor of 2m width, duly keeping in view the future widening.	Yes	
	(ii) Where land is yet to be acquired for 4 laning and the position of new carriageway has been decided then the cable shall be laid at the edge of right of way within the utility corridor of 2m width, on that side of existing carriageway, where extra land is not proposed to be acquired for 4-laning.	NA	
	(iii) Where the widening plan for 4-laning is not yet decided and available ROW is around 30m or less, a judicious decision would need to be taken for permitting the laying of cable/duct. This could be within 1.5m to 2m of utility corridor at edge of existing ROW, duly keeping in view the possible widening plan.	NA	
	(iv) Where ROW is restricted and adequate only to accommodate the	NA	

Project Director
 Authority of India
 M.P.A.K.V.N. (I) Ltd., Indore
 M.P. Industrial Development Corporation Ltd.
 R. O., INDORE
 Superintending Engineer
 Superintending Engineer

	carriageway, central verge, shoulders and drains (e.g. highways in cutting through hilly/rolling terrain), the cable shall be laid clear of the drain.		
	(v) Where land strip for strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the earmarked) for lying of cable/ducts, the permission may be refused.	NA	
1.18	No. of applicant on the same stretch	-	
1.19	Whether the case of multiple licenses	No	
1.20	If so furnish a joint implementation programmer to lay their respective duct within stipulated time frame	NA	
1.21	If the crossing of the road involved If Yes it shall only be through trench-less technology	No	
2.	Documents/Drawing enclosed with the proposal	Yes	
2.1	Cross section showing the size of trench for open trenching method (is it normal size 1.20m deep/0.08m wide) Should not be given than 1.2m in width in multiple ducts.	Yes, Standard Size	
2.2	Cross Section showing the size of trench and lying of pipe line.	Yes attached	
2.3	Strip plan/Route plan showing the Pipe line, chainage, width of ROW, distance of proposed, pipe line from the edge of ROW, important mile stone, intersections, cross drainage work etc.	Yes attached	
2.4	Methodology for laying of Pipe line		
2.4.1	Open trenching method. If Yes, methodology of refilling of trench.	Yes	
2.4.2	Horizontal Directional Drilling (HDD) method.	NO	
2.4.3	Laying OFC Through CD Works and Method of Laying (Whether to be hung outside parapet)	NO	
3.	Draft License Agreement signed by two with Project Director निदेशक	Yes	<i>Agree</i>

Project Director
 निदेशक
 M.P. Industrial Development Corporation Ltd.
 R. O., INDORE

Superintending Engineer
 M.P.A.K.V.N. (I) Ltd., Indore

Superintending Engineer
 M.P. Industrial Development Corporation Ltd.
 R. O., INDORE


4.1	Performance bank Guarantee		
4.2	Confirmation of BG has been obtained as per NHAi guidelines.	BG shall be submitted as per NHAi Guidelines	
5.	Affidavit /Undertaking from the Applicant for		
5.1	Not to damage to other utility, if damaged then to pay the losses either to NHAi or to the concerned agency.	Yes ; Enclosed	
5.2	Renewal of Bank Guarantee	Yes ; Enclosed	
5.3	Confirming all standard condition of NHAi's guidelines	Yes ; Enclosed	
5.4	Shifting of Pipe line as and when required by NHAi.	Yes ; Enclosed	
5.5	Shifting due to 6 lanning/widening of NH.	Yes ; Enclosed	
5.6	Indemnity against all damages and claims clause (xxiv).	Yes ; Enclosed	
5.7	Traffic movement during lying of Pipe line to be managed by the applicant.	Yes ; Enclosed	
5.8	If any claim is raised by the concessionaires then the same has to be paid by the applicant.	Yes ; Enclosed	
5.9	Certificate for 6-lanning from the applicant in following format "We do undertake that I will relocate service road / approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAi" for	Yes ; Enclosed	
6.	Power of Attorney in favor of authorized signatory	Yes ; Enclosed	
7.	Copy of DOT License.	Yes ; Enclosed	
8.	Certificate from the Project Director.	Yes	
8.1	Certificate for confirming of all standard condition issued vide Ministry Circular No: RW/NH-033044/17/2000-S&R dated 29.09.2000 and NHAi Guideline issued vide No: NHAi/OEC/2k/Vol II dated 07.11.2000 and Ministry's Circular no: RW/NH-33044/27/2000-S&R dated 21.03.2006.	Yes	
8.2	Certificate for 4-lanning from PD in the following format	Yes	



Project Director
[Signature]

Superintending Engineer
M.P.A.K.V.N. (I) Ltd., Indore

Superintending Engineer
M.P. Industrial Development Corporation Ltd.
R. O. INDORE

[Signature]

	<p>a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-lining based on the feasibility report considering proposed structure at the said location.</p> <p>b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodation proposed six-lining".</p>	<p>FROM KM 108+650 TO KM. 109 + 550 AND FROM KM. 110+400 TO KM. 120+650</p> <p>(TOTAK KM. 11050)</p>	
9.	The agreement fee of Rs. 1 shall be changed.	Yes	
10.	If NH section proposed to be taken up by NHA on BOT basis – a clause in Para 17 to be inserted in the agreement. <i>"The permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the agreement for up-gradation of [.....Section from km To km of NMH no. 3 on build, Operate and transfer Basis] and therefore, the licensee shall honor the same."</i>		
11.	Who will be supervising the work of laying Pipe line.	M/S-NR EPC PROJECT PVT LTD 445,4 TH Floor,Royal Arcade,Opp.Zoo,Nr.Sarthana Jakatnaka, Surat (GJ.)	
12.	Who will ensure that the defects in road portion after lying of Pipe line are corrected and if not corrected then what action will be taken.	M/S-NR EPC PROJECT PVT LTD 445,4 TH Floor,Royal Arcade,Opp.Zoo,Nr.Sarthana Jakatnaka, Surat (GJ.)	
13.	Who will pay claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire	M/S-NR EPC PROJECT PVT LTD 445,4 TH Floor,Royal Arcade,Opp.Zoo,Nr.Sarthana Jakatnaka, Surat (GJ.)	
14.	A Certificate from PD that he will enter the proposed permission in the register	Yes	

Superintending Engineer
M.P.A.K.V.N. (I) Ltd., Indore

Superintending Engineer
M.P. Industrial Development Corporation Ltd.
R. O., INDORE

	of records of the permission in the prescribed preform (copy enclosed) issued vide Ministry Circular No. RW/NH-033044/17/2000/S&R dated 23.07.2003.		
15.	If any previous approval is accorded for laying of cable then Photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular No RW/NH-033044/17/2000/S&R dated 23.07.2003) as referred in Para 13 above is enclosed or not.	No	


Superintending Engineer M.P.A.K.V.N. (I) Ltd., Indore
M.P. Industrial Development Corporation Ltd.
INDORE








Annexure-II

(Enclosure to MORT&H letter No.RW/NH-33044/17/2000-S&R dated 29-09-2000)
 Format for maintaining Records of Right of Way permission granted for laying pipe line
 (To be maintained separately for every NH and State, every PWD Division or equivalent)

1. Name of State: Madhya Pradesh
2. Name of Agency: National Highway Authority of India (NHAI)
3. National Highway No: NH-3

Location (chainage km)	Left or right side of NH (towards increasing chainage/direction)	Section and reach	Kind of service	Name of licensee contact address	Date of signing of agreement	Date of validity of agreement	Date of last inspection of site	Any deviation from MORT& standard norms	Remark
Parallel to The road km 108+650 to 109+550 and 110+400 to 120+650	RHS road	(SEND HWA-MP/MH BORD er Section) of NH-3	Parallel to the road	For: Superintending Engineer, MP AKVN (I) Ltd. -Indore, 3/54,A.B Road, Press Complex,Indore-452011					


 Superintending Engineer
 M.P. Industrial Development Corporation Ltd.
 R. O., INDORE


 Superintending
 M.P.A.K.V.N. (I) Ltd., Indore